MSDS 报告

MSDS Report

Prepared For : 申请商：	Xinxiang Zhongyue Power Material Co., Ltd. 新乡市中岳电源材料有限公司 ZHONGMAFANG INDUSTRIAL PARK IN MUYE DISTRICT XINXIANG CITY HENAN PROVINCE 河南省新乡市牧野区土付乡中马坊
Product Name: 产品名称：	NI-MH BATTERY 镍氢电池
Model : 型号：	See Page 2 见第 2 页
Prepared By : 编制单位：	Shenzhen NCT Testing Technology Co., Ltd. 深圳诺测检测技术有限公司 A101, 1/F., &2F., B2, Fuqiao 6th Area, Xintian, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China 广东省深圳市宝安区福海街道新田社区富桥六区 B2 一楼 A101, 二楼
Report No.: 报告编号	NCT220512016XM1-1

Written by 编写: Vera Li
Vera Li

Approved by 批准: Boris Lin
Boris Lin

Inspected by 审核人: Hely Wang
Hely Wang

Seal of Notified Body (公告机构盖章)

Date of Issue 发布日期: 2023. 01.01

Model: AAA1/3 80，AAA1/3 100，AAA1/3 120，AAA100，AA150，AAA200，AAA250，AAA300，AAA350，AAA400，AAA450，AAA500，AAA550，AAA600，AAA650，AAA700，AAA800，AA100，AA150，AA200，AA250，AA300，AA400，AA450，AA500，AA550，AA600，AA650，AA700，AA800，AA900，AA1000，AA1100，AA1200，AA1300，AA1400，AA1500，AA1600，AA1700，AA1800，AA1900，AA2000，AA2/3 100，AA2/3 150，AA2/3 200，AA2/3 250，AA2/3 300，AA2/3 350，AA2/3 400，AA2/3 450，AA2/3 500，AA2/3 550，AA2/3 600，AA2/3 650，AA2/3 700，AA2/3 800，AAA2/3 100，AAA2/3 150，AAA2/3 200，AAA2/3 250，AAA2/3 300，AAA2/3 350，AAA2/3 400，AA4/5 300，AA4/5 400，AA4/5 500，AA4/5 600，AA4/5 700，AA4/5 800，AA4/5 900，AA4/5 1000

Material Safety Data Sheet
化学品安全技术说明书

Section 1- Chemical Product & Company Identification

第一部分 化学品及企业标识

Product Name: NI-MH BATTERY

产品名称：镍氢电池

Manufacture: Xinxiang Zhongyue Power Material Co., Ltd.

制造商：新乡市中岳电源材料有限公司

Address: ZHONGMAFANG INDUSTRIAL PARK IN MUYE DISTRICT XINXIANG CITY HENAN PROVINCE

地址：河南省新乡市牧野区王村乡中马坊

Contact Person 联系人**:** Ms. Yue

Tel 电话**:** +86-13503438840

Fax 传真**:** +86-373-2688644

Emergency Tel 应急电话: +86-13503438840

E-mail 邮箱**:** 1410296974qq.com

Item Code 项目号**:** NCT220512016XM1-1

Section 2- Hazards Identification

第二部分 危险性概述

Hazard Description 危险性描述	Not dangerous with normal use. Do not dismantle, open or shred the battery ingredients contained within or their ingredients products could be harmful. 正常使用没有危险，不能拆解、打开或分解电池，里面的材料或成分是有害的。
Primary Route(s) of Exposure 接触途径	Inhalation, Ingestion, Skin contact and Eye contact. 吸入、食入、皮肤接触、眼睛接触。
Potential Health Effects 潜在健康影响	**Inhalation:** Vapors or mists from a ruptured battery may cause respiratory irritation. 吸入：破裂的电池散发出来的气雾会引起呼吸道刺激。 **Ingestion:** The battery ingredients contained within or their ingredients products can cause serious chemical burns of mouth, esophagus, and gastrointestinal tract. 食入：电池的组成成分或原料可以导致嘴、食道和胃肠道的严重化学烧伤。 **Skin:** Skin contact with contents of an open battery can cause severe irritation or burns to the skin. 皮肤：皮肤接触到电池的内部化学材料可能会导致严重的刺激或烧伤皮肤。 **Eye:** Eye contact with contents of an open battery can cause severe irritation or burns to the eye. 眼睛：眼睛接触到电池的内部化学材料可能会导致严重的刺激或烧伤眼睛。

Section 3- Composition/Information on Ingredients

第三部分 成分/组成信息

Chemical Name 化学名称	**Concentration or concentration ranges (%)** 浓度或浓度范围(%)	**CAS Number** CAS 号（化学文摘索引登记号）
Nickelous hydroxide 氢氧化镍	46.5-47.5	12054-48-7
Nickel power 镍粉	22.0-23.0	7440-02-0
Co 钴	4.0-4.5	7440-48-4
Mn 锰	5.0-5.5	7439-96-5
Al 铝	2.0-2.5	7429-90-5

Fe 铁	3.5-4.0	7439-89-6
Polypropylene 聚丙烯	5.8-6.8	9003-07-0
Potassium hydroxide 氢氧化钾	2.2-2.5	1310-58-3
Water 水	9.0-10.0	14341-42-2

Note: CAS number is Chemical Abstract Service Registry Number.

注意：CAS 号是化学文摘服务注册号。

N/A=Not apply.

N/A =不适用。

Section 4- First Aid Measures

第四部分 急救措施

Inhalation 吸入	Remove source of contamination or move victim to fresh air. Obtain medical advice. 移除污染源或者将受害者移至新鲜空气处，寻求医生建议。
Ingestion 食入	Please rinse mouth thoroughly with water. Induce vomiting under the guidance of professional personage. Please seek medical treatment in time. 立即用清水漱口，在专业人士的指导下催吐，速就医。
Skin contact 皮肤接触	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. 脱下已污染衣服，用大量的水冲洗至少 15 分钟，速求医。
Eye contact 眼睛接触	Irrigate with flowing water for 15 minutes. If irritation persists, consult a physician. 用流动水冲洗 15 分钟，如刺激持续发作，请求助于医生。

Section 5- Fire Fighting Measures

第五部分 消防措施

Characteristics of Hazard 危险特性	Toxic fumes, gases or vapors may evolve on burning. 火灾时可释放有毒烟雾、气体或者蒸汽。
Hazardous Combustion Products 燃烧产生的危险物品	Carbon monoxide, carbon dioxide and so on. 一氧化碳、二氧化碳等。

Fire-extinguishing Methods and Extinguishing Media 灭火方法及灭火剂	Please use dry powder fire extinguisher and other proper fire extinguishing media. 请使用干粉灭火器等合适的灭火介质。
Attention in Fire-extinguishing 灭火注意事项	The firemen should put on antigas masks and full fire-fighting suits. 消防人员须佩戴防毒面具、穿全身消防服。

Section 6- Accidental Release Measures

第六部分 泄露应急处理

Personal Precautions, protective equipment, and emergency procedures 个人预防措施、防护装备和应急程序	Restrict access to area until completion of clean-up. Do not touch the spilled material. Wear adequate personal protective equipment as indicated in Section 8. 限制区域，直到完成清理工作。请勿触摸泄漏的材料。穿戴适当的个人防护设备，见第 8 部分所示。
Environmental Precautions 环境保护措施	Prevent material from contaminating soil and from entering sewers or waterways. 防止物质污染土壤和进入下水道或水道。
Methods and materials for Containment 方法和材料控制	Stop the leak if safe to do so. Contain the spilled liquid with dry sand or earth. Clean up spills immediately. 出于安全，阻止泄漏，可以用干砂或沙土来遏制液体泄露，立即清理泄漏。
Methods and materials for cleaning up 清理的方法和材料	Absorb spilled material with an inert absorbent (dry sand or earth). Scoop contaminated absorbent into an acceptable waste container. Collect all contaminated absorbent and dispose of according to directions in Section 13. Scrub the area with detergent and water; collect all contaminated wash water for proper disposal. 用惰性吸收剂(干砂或沙土)吸收溢出的材料。污染物转移到可吸收废物内容器。收集所有受污染的吸收剂和根据第 13 部分的指令处置。用洗涤剂和水清洁污染区域,收集所有受污染的洗涤水过行适当处置。

Section 7- Handling and Storage

第七部分 操作处置与储存

Handling 操作	Don't handing the batteries in manner that allows terminals to short circuit. Do not open, disassemble, crush or burn battery. 不要以让接头短路的方式来电池进行操作，不要打开，分解，挤压或燃烧电池。
Storage 储存	Do not storage the battery haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects. 不要将电池随意丢在盒子或抽屉里，以免它池之间或电池与其他金属物质发生短路。 Keep out of reach of children. 储存在小孩接触不到的地方。 Do not expose the battery to heat or fire. Avoid storage in direct sunlight. 不要将电池暴露在火源和热源附近，避免在阳光直射下存储。 Do not store together with oxidizing and acidic materials. 不要与氧化和酸性物质存储在一起。

Section 8 - Exposure Controls/Personal Protection

第八部分 接触控制和个体防护

Engineering Controls 工程控制	No engineering controls are required for handling batteries that have not been damaged. Personal protective equipments for damaged batteries should include chemical resistant gloves and safety glasses. 操作未破损的电池，没有工程控制要求。对于破损的电池，个人防护用品应包括化学品防护手套和安全镜镜。
Personal Protective Equipment 个人防护设备	Respiratory Protection: In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use. Not necessary under conditions of normal use. 呼吸保护：当电池排气阀打开时，应尽量使通风设备开至最大，避免将电开排气阀的电池局限在某一狭窄空间内。正常操作条件下，呼吸保护是不必要的，正常使用条件下不必考虑。 Protective Gloves: Not necessary under conditions of normal use. 防护手套：正常使用条件下不必考虑。 Other Protective Clothing or Equipment: Not necessary under conditions of normal use. 其他防护服装或设备：正常使用条件下不必考虑。 Personal Protection is recommended for venting battery: Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields. 当电池排气阀打开时，应做好个人防护：呼吸防护，防护手套，防护服装和有护边的安全镜等都是要准备的。

Section 9- Physical and Chemical Properties

第九部分 理化特性

Physical State 物理状态	Form: Solid 形态：固体
	Color: Green 颜色：绿色
	Odour: Odorless 气味：无气味
Change in condition 变化的条件	
pH 酸碱度	No data is available 无数据可提供
Flash Point 闪点	No data is available 无数据可提供
Flammability 易燃度	No data is available 无数据可提供
Relative density 相对密度	No data is available 无数据可提供
Solubility (Water) 溶解性（水溶性）	No data is available 无数据可提供
Solubility (Other) 溶解性（其他）	No data is available 无数据可提供

Section 10 – Stability and Reactivity

第十部分 稳定性和反应性

Stability 稳定性	Stable under normal temperatures and pressures. 在温和压下稳定。
Conditions to Avoid 应避免的条件	Heat above 70°C or Incinerate, Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions. 加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路、长时间暴露在潮湿的条件下。
Hazardous Decomposition Products	Toxic Fumes, and may form peroxides. 有毒烟雾，并可能形成过氧化物。

危害分解物	
Possibility of Hazardous Reaction 危险反应的可能性	If leaked, forbidden to contact with strong oxidizers, mineral acids, strong alkalis, halogenated hydrocarbons. 如果发生泄露，避免与强氧化剂，无机酸，强碱，卤代烃接触。

Section 11 – Toxicological Information

第十一部分 毒理学信息

Irritation 刺激	In the event of exposure to internal contents, vapor fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下，蒸汽烟雾可能对眼睛和皮肤产生刺激性。
Sensitization 致敏	No data is available 无数据可提供
Reproductive Toxicity 再生毒性	No data is available 无数据可提供
Toxicologically Synergistic Materials 协同材料毒理学	No data is available 无数据可提供

Section 12-Ecological Information

第十二部分 生态学信息

General note 通用信息	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 不允许未稀释或大量的产品到达地下水、水道或污水系统。
Anticipated behavior of a chemical product in environment/possible environmental impact/ ecotoxicity 化学产品在环境/可能的环境预期的行为的一种生态毒性	No data is available 无数据可提供
Mobility in soil 土壤中移动性	No data is available 无数据可提供
Persistence and Degradability	No data is available

持久性和降解性	无数据可提供

Section 13 – Disposal Considerations

第十三部分 废弃处置

Waste Treatment 废弃处置方法	Recycle or dispose of in accordance with government, state & local regulations. 建议遵照国家和地方法规处置或再利用。
Attention for Waste Treatment 废弃注意事项	Deserted batteries couldn't be treated as ordinary trash. Couldn't be thrown into fire or placed in high temperature. Couldn't be dissected, pierced, crushed or treated similarly. Best way is recycling. 废电池不能被当做普通垃圾。不能扔进火中或置于高温下。不能解体，刺穿，破碎或类似的处理。最好的办法是回收利用。

Section 14 – Transport Information

第十四部分 运输信息

In general, all batteries in all forms of transportation (by sea, air or land) must be packaged in a safe and responsible manner. Batteries should be packaged in a manner that prevent short circuit. The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking. The package must be handled with care and that a flammability hazard exists if the package is damaged.

一般来说，所有的电池以各种形式的运输中(海运、空运或陆运)都必须有一个安全和可靠的包装。电池的包装应防止发生短路。包装应足以避免在运输，处理和堆放期间的机械损坏。包装必须小心处理，如果包装损坏，存在易燃危险。

According to 2023 IATA Dangerous Goods Regulations 64th Special Provision A199.

根据 2023 年 IATA 危险物品规则第 64 版特殊条款 A199.

The UN number UN 3496 is only applicable in sea transport. Nickel-metal hydride batteries or nickel-metal hydride battery-powered devices, equipment or vehicles having the potential of a dangerous evolution of heat are not subject to these Regulations provided they are prepared for transport so as to prevent:

联合国编号 UN 3496 仅适用于海运。镍氢电池或镍氢电池供电的装置、设备或车辆有可能产生危险的热量，不受本条例的约束，前提是它们运输时准备防止以下情况:

(a) a short circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or, in the case of equipment, by disconnection of the battery and protection of exposed terminals);

短路（例如，对于电池，通过对暴露的端子进行有效绝缘；或者，对于设备，通过断开电池和保护暴露的端子）

(b) unintentional activation.

意外激活。

According to IMO IMDG Code (inc Amdt 40-20) SP963.

根据 IMO IMDG Code (inc Amdt 40-20) 特殊条款 963.

Ni-MH button batteries or Ni-MH batteries installed or included in equipment are not restricted.

安装或包含在设备中的镍氢纽扣电池或镍氢电池不受限制.

All other nickel-metal hydride batteries must be securely packed and prevent short circuit. If the total weight in a single cargo transport package does not exceed 100 kg, they are not restricted. If the total weight is 100 kg or more, the requirements of section 5.4.1, 5.4.3 and columns 16a and 16b of section 3.2 of the IMO IMDG Code (inc Amdt 40-20) should be met.

所有其他镍氢电池须牢固包装并防短路。如果单个货物运输组件中的总重量不超过 100 公斤，则不受限制。如果总重量为 100 公斤或更多，需要满足 IMO IMDG Code (inc Amdt 40-20)中 5.4.1、5.4.3 和第 3.2 章危险货物一览表第 16a 栏和 16b 栏的要求。

For nickel-metal hydride batteries transport, with a total weight of 100 kg or more in a single cargo transport package, the UN number is UN3496.

关于镍氢电池单独运输，一个货物运输组件中的总重量为 100 公斤或更多的情况，UN 编号为 UN3496.

Section 15 – Regulatory Information

第十五部分 法规信息

《Dangerous Goods Regulations》

《危险物品规则》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《危险货物运输的建议模型规定》

《International Maritime Dangerous Goods》

《国际海上危险货物运输》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《危险货物安全运输技术指南》

《Classification and code of dangerous goods 》

《危险货物分类与代码》

《Occupational Safety and Health Act 》(OSHA)

《职业安全与健康法案》(OSHA)

《Toxic Substance Control Act》(TSCA)

《有毒物质控制法》(TSCA)

《Consumer Product Safety Act 》(CPSA)

《消费者产品安全法案》(CPSA)

《Federal Environmental Pollution Control Act》(FEPCA)

《联邦环境污染控制法》(FEPCA)

《The Oil Pollution Act》(OPA)

《石油污染法》(OPA)

《Superfund Amendments and Reauthorization Act TitleIII(302/311/312/313)》(SARA)

《超级基金修正案和再授权法案 TitleIII(302/311/312/313)》(SARA)

《Resource Conservation and Recovery Act》(RCRA)

《资源保护和恢复法案》(RCRA)

《Safety Drinking Water Act》(CWA)

《安全饮用水法》(CWA)

《California Proposition 65》

《加州 65 号提案》

EU Battery Directive (2006/66/EC, 2013/56/EU)

欧盟电池指令(2006/66/EC, 2013/56/EU)

Regulation (EC) No. 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

关于化学品的注册、评估、授权和限制(EC)第 1907/2006 号规例

In accordance with all Federal, State and local laws.

符合所有联邦、州和地方法律。

Section 16 – Additional Information

第十六部分 其他信息

The information above is believed to be accurate and represents the best information currently available to us. However, we makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

在我们看来上面的信息是准确的，这是我们目前能提供的最佳的信息。但是，对于这些信息，我们不对商品的性能做任何明示的或者暗示的保证，我们也不对使用这些信息造成的后果担负任何责任。用户应当自己调查研究并决定这些信息是否适用于他们的特定用途。尽管在该文档中提出了合理的预警，但是这仅仅只是给您做参考，考量和调查。这份化学品安全技术说明书提供了安全处理和使用该产品的指南，但是它没有，也不能对所有可能发生的情景提出建议，所以您需要根据您对该产品的特定使用情况来决定是否需要其他的预防措施。

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.

此处所包含的数据/信息作为普通版本已经审核并批准，但是本文档不包含出口控制信息。

*******End of report 报告结束*******